

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	6841	(rocker or lever or arm) near5 (cam\$2 or lob\$2) and spring\$2 and engine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 15:39
S2	4266	(rocker or lever or arm) same (cam\$2 or lob\$2) near3 (pivot\$4 or rotat\$5) and spring\$2 and engine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 15:41
S3	3619	(rocker or lever or arm) same (cam\$2 or lob\$2) near3 (pivot\$4 or rotat\$5) and spring\$2 and engine and shaft	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 15:42
S4	2295	(rocker or lever or arm) same (cam\$2 or lob\$2) near3 (pivot\$4 or rotat\$5) same shaft and spring\$2 and engine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 17:03
S5	160	123/508.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 15:46
S6	5	"5540207"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/08 15:46
S7	9	74/53-55.ccls. and (rocker or lever or arm) same (cam\$2 or lob\$2) near3 (pivot\$4 or rotat\$5) same shaft and spring\$2 and engine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 11:59
S8	25	74/569.ccls. and (rocker or lever or arm) same (cam\$2 or lob\$2) near3 (pivot\$4 or rotat\$5) same shaft and spring\$2 and engine not S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 17:04
S9	9	74/53-55.ccls. and (rocker or lever or arm) same (cam\$2 or lob\$2) near3 (pivot\$4 or rotat\$5) same shaft and spring\$2 and engine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 18:37

S10	25	74/569.ccls. and (rocker or lever or arm) same (cam\$2 or lob\$2) near3 (pivot\$4 or rotat\$5) same shaft and spring\$2 and engine not S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 19:11
S11	16	74/567.ccls. and (rocker or lever or arm) same (cam\$2 or lob\$2) near3 (pivot\$4 or rotat\$5) same shaft and spring\$2 and engine not S9 not S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 18:37
S12	9	74/53-55.ccls. and (rocker or lever or arm) same (cam\$2 or lob\$2) near3 (pivot\$4 or rotat\$5) same shaft and spring\$2 and engine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 12:00
S13	25	74/569.ccls. and (rocker or lever or arm) same (cam\$2 or lob\$2) near3 (pivot\$4 or rotat\$5) same shaft and spring\$2 and engine not S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 12:00
S14	9	74/53-55.ccls. and (rocker or lever or arm) same (cam\$2 or lob\$2) near3 (pivot\$4 or rotat\$5) same shaft and spring\$2 and engine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 12:00
S15	25	74/569.ccls. and (rocker or lever or arm) same (cam\$2 or lob\$2) near3 (pivot\$4 or rotat\$5) same shaft and spring\$2 and engine not S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 12:00
S16	16	74/567.ccls. and (rocker or lever or arm) same (cam\$2 or lob\$2) near3 (pivot\$4 or rotat\$5) same shaft and spring\$2 and engine not S14 not S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 12:00
S17	2319	74/53-55.ccls. not S13 not S12 not S14 not S16 not S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 18:54
S18	1763	123/90.16.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 16:00
S19	3	"6595172"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 16:23

S20	7	"6571782"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 16:31
S21	64	"5937809"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 16:31